

Carbide drills


NC-spotting drills



Catalog no. 71190

N	WN	VHM	bright	90°	h6	R	HA
P	M	K	N	S	H		
•	•	•	•	•			

- facet point grinding
- only suitable for spotting



d1 mm	l1 mm	l2 mm
5.000	62.000	14.000
6.000	66.000	16.000
8.000	79.000	21.000
10.000	89.000	25.000
12.000	102.000	30.000
16.000	115.000	37.500

d1 mm	l1 mm	l2 mm
20.000	131.000	45.000

Carbide drills


NC-spotting drills



Catalog no. 71191

N	WN	VHM	bright	120°	h6	R	HA
P	M	K	N	S	H		
•	•	•	•	•			

- facet point grinding
- only suitable for spotting



d1 mm	l1 mm	l2 mm
5.000	62.000	14.000
6.000	66.000	16.000
8.000	79.000	21.000
10.000	89.000	25.000
12.000	102.000	30.000
16.000	115.000	37.500

d1 mm	l1 mm	l2 mm
20.000	131.000	45.000

Carbide drills


NC-spotting drills



Catalog no. 71189

N	WN	VHM	bright	142°	h6	R	HB
P	M	K	N	S	H		
•	•	•	•	•			

- facet point grinding
- only suitable for spotting
- from Ø 6 mm with HB shank



d1 mm	l1 mm	l2 mm
4.000	55.000	12.000
5.000	62.000	14.000
6.000	66.000	16.000
8.000	79.000	21.000
10.000	89.000	25.000
12.000	102.000	30.000

d1 mm	l1 mm	l2 mm
16.000	115.000	37.500
20.000	131.000	45.000